EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20030172141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/21 10:41
S2	2	("0608205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 14:05
S3	1	("6308205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 14:27
S4	18891182	(remote$2 and configura$4) and line near1 speed @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:07
S5	18890437	(remot$4 and configura$4).ti. and (line near1 speed)@ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:22
S6	0	(remot$4 and configura$4).ti. and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:08
S7	4	(remot$4 and configura$4).ab. and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:17
S8	768	(remot$4 and configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:24
S9	36	(remot$4 near1 configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:19

EAST Search History

S10	31	(administr$5 with remot$4 near1 configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:22
S11	54	(administr$5 with configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:24
S12	391	((configura$4 near4 type$1)with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:25
S13	0	((configura$4 near4 type$1)with speed with remot$4) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:30
S14	0	((configura$4 near4 type$1)with defin$4 near2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:26
S15	0	((configura$4 near4 type$1)with identif$4 near2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:26
S16	6198	(remote and configure and bandwidth) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:28
S17	16	(remote and configure and bandwidth).ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:29

EAST Search History

S18	15	(remote and configure and speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:36
S19	0	(configure with line near1 speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S20	8	(configure with line near1 speed) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S21	210	(configur$5 with line near1 speed) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 15:01
S22	16	(configur$5 with line near1 speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S23	0	("22030144983").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:01
S24	1	("20030144983").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:01
S25	1	("6308205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/21 10:41
S26	159	(configurat$3 with (automatical$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31

S27	0	(configurat$3 with (automatical$3 near3 identify$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S28	0	(configurat$3 with (automatical$3 near3 identify$3 near4 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S29	51	"709"/$.ccls. and (configurat$3 with (automatical$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:32
S30	485	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:32
S31	18906269	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 updat$3))".ab. and" @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:33
S32	2	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 updat$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S33	0	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 assing$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S34	0	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 assing$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35

EAST Search History

S35	0	(configurat$3 and (automatical$3 near2 assing$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S36	0	(configurat$3 with (automatical$3 with assing$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:36
S37	122	(configurat$3 with (automatical$3 with assign$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:36
S38	12	(configurat$3 with (automatical$3 with assign$3)).ab. and @ad<="20000228".	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:38
S39	122	(configurat$3 with (automatical$3 with assign$3)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:38
S40	1	(configurat$3 with (automatical$3 with assign$3 with updated)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:38
S41	1	((configurat$3 near1 parameters) with (automatical$3 with assign$3)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:29
S42	1	("6748436").PN.	USPAT; USOCR	OR	OFF	2006/07/21 16:33
S43	1	("6868444").PN.	USPAT; USOCR	OR	OFF	2006/07/21 16:37

S44	98	(configura$5 with bandwidth with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:08
S45	5	(configura$5 with bandwidth with speed).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:37
S46	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:21
S47	2	("5428748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:21
S48	2210	(configur$ with remot$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:38
S49	97	"709"/$.ccls. and (configur$ with remot$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
S50	1135	"709"/$.ccls. and (configur$ with remot$3 updat$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
S51	1	"709"/$.ccls. and (configur$ with remot$3 with updat$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39

S52	22	"709"/$.ccls. and (configur$ and remot$3 and updat$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:40
S53	0	"709"/$.ccls. and (configur$ and remot$3 and updat$3).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:40
S54	24	"709"/$.ccls. and (configur$ and remot$3).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:04
S55	0	"709"/$.ccls. and (configur$ adj1 server and remote$1).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44
S56	0	"709"/$.ccls. and (configur$ adj1 server and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44
S57	3	"709"/$.ccls. and (configur$4 adj2 server$1 and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:48
S58	0	"709"/$.ccls. and (configur$4 near3 updat$3 and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:48
S59	96	"709"/$.ccls. and (configur$4 and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:04

EAST Search History

S60	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:04
S61	199	"709"/$.ccls. and (configur$4 with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:05
S62	6	"709"/$.ccls. and (configur$4 with speed).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06
S63	1	"709"/$.ccls. and (configur$4 with control$3 adj2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06
S64	11	"709"/$.ccls. and (configur$4 with control$3 adj4 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:46
S65	2	("6,223,218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:36
S66	78	"709"/$.ccls. and (forward$3 adj4 configura$4) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:47
S67	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 18:12

EAST Search History

S68	2	("6223218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 18:12
S69	75	(template with configur$4 with control$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:29
S70	11	remote$3 same (template with configur$4 with control$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:40
S71	14	remote$3 same (template with configur$4 same control$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:42
S72	2	(remote$3 with configur$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:44
S73	26	(remote$3 same configur$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:45
S74	1	(remote$3 same configur$4 with template).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:47
S75	2	configur$4.ab. and (remote$3 same configur$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:48

EAST Search History

S76	6	(configur$4 and remote$3).ab. and (configur$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:59
S77	4	("7103904").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 19:03
S78	2	("6957186").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 19:03
S79	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:02
S80	2	("5428748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:03
S81	2	("6538668").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:10
S82	2	("6466972").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:49
S83	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:49

S84	73	(remote$3 with configures with devices) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:08
S85	2	(remote$3 with configures with devices).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:10
S86	2	(remote$3 with configures with group$1 near2 devices) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:14
S87	3	(remote$3 with configur$3 with group$1 near2 devices) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:15
S88	101	(remote$3 with configur$3 with group$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:15
S89	12	(remote$3 with configur$3 with group$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:37
S90	2	("20030046369").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:42
S91	2	("6885644").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:44

EAST Search History

S92	4	("7002917").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:45
S93	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 18:57
S94	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:03
S95	2	("20020124249").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:04
S96	1	("20060085821").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:06
S97	2	("20020046235").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:06
S98	2	("6252947").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:07
S99	2	("20020049693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 10:50

EAST Search History

S10 0	2	("6202088").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 10:51
S10 1	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 12:01
S10 2	2	("6,538,668").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 15:45
S10 3	2	("20020085579").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 15:59
S10 4	2	("5440744").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 16:01
S10 5	2	("6678682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 16:01
S10 6	18999669	(network with providers)@ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:23
S10 7	11044	(network with providers) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:23

EAST Search History

S108	8210	(network with providers) and @ad<="20000228" and types	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:23
S109	1748	(network with providers) and @ad<="20000228" and plurality with (types services)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:23
S110	162	(network with providers) with (types services)with plurality and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:24
S111	0	(network with providers) with (types services)with plurality same template$1 and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:24
S112	10	(network with providers) with (types services)with plurality and template$1 and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:24
S113	1	("6308205").PN.	USPAT; USOCR	OR	OFF	2007/12/11 07:35
S114	1	("6970919").PN.	USPAT; USOCR	OR	OFF	2007/12/11 15:12
S115	31	(templat$4 with retriev$4 with identifications) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:31
S116	1907	(templat$4 with configurations) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:31

EAST Search History

S11 7	90	(templat$4 with configurations) same (identifier$4 idenfications id$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:32
S11 8	6	(templat$4 with configurations) same (identifier$4 idenfications id$1) same retriev$4 and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 17:08
S11 9	1	(("20010027472") or ("6735624")). PN.	USPAT; USOCR	OR	OFF	2007/12/11 17:09
S12 0	2	(("20010027472") or ("6735624")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 17:09
S12 1	1	("20010011245").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 17:10
S12 2	1	("6615238").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 17:10